Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S16	2457	709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 10:59
S19	2118638	broker$1 agent$1 delegate$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 12:13
S20	2200942	notice$1 communicati$2 messag$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:10
S21	39527	(asynchronous S19) with S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:08
S22	523	S16 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:08
S33	246	(message adj (queu$3 broker$1)) same poll$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 14:16
S43	2979	(asynchronous broker$1) near3 messag$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 15:11
S65	427	publisher$1 near3 subscriber$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/14 16:45

S67	495	MQSeries	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:03
S71	1111	publish$2 adj subscribe$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:20
S81	606	(poll$3 timeout asynchronous) same (message adj (channel$1 queue$1))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/18 11:17
S83	26	(software adj ag).as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 09:06
S93	27	mqget	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/25 11:52
S95	5154	(message adj broker$1) (enterprise adj application adj integration) (message adj queu$4)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:12
S98	128	timeout same (message adj queu$4)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:08
S99	16	jms with servlet	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:08
S10 3	3529	709/206,246.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/25 15:49
S11 0	85	timeout adj response	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 10:09

S11 8	1112	(post adj office adj protocol)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 10:18
S12 4	3	sagavista	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2005/01/26 17:10
S12 5	0	"6453356".pn. and "292"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:39
S12 6	0	"6023722".pn. and (timeout (time adj out))	USPAT	OR	OFF	2005/02/04 15:41
S12 7	254	(message adj channel) and (timeout (time adj out))	USPAT	OR	OFF	2005/02/04 15:42
S12 8	37	(message adj channel) same (timeout (time adj out))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:43
S12 9	4993	response with (timeout (time adj out))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:43
S13 0	176	(timeout (time adj out)) adj response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:49
S13 1	7356	message adj (channel queu$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:49
S13 2	18	S129 same S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:50

S13 3	10190	pull with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:54
S13 4	60	S131 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:50
S13 5	7	S133 and 709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:53
S13 6	331	S131 and (response with (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:58
S13 7	76	S131 and (response adj (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 15:58
S13 8	99	S131 and (response near (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:48
S13 9	0	ApplIdentityData	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:00
S14 0	146	(message adj (broker queu$4)) and (request same (source adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:39

S14 1	21	(message adj (channel queu$4)) same ((source adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:49
S14 2	103	(message adj (channel queu$4)) same ((destination adj (address information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:56
S14 3	13	(message adj (channel queu$4)) same (source adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:57
S14 4	13	(message adj (channel$2 queu$4 broker$1)) same (source adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 10:57
S14 5	610	(message adj (channel$2 queu$4 broker$1)) same source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 11:00
S14 6	90	(message adj (channel$2 queu$4 broker$1)) same (destination adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:02
S14 7	89	(message adj (channel$2 queu$4)) same (destination adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 14:34
S14 8	121	firewall$1 with http with pass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22

S14 9	3032	url with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 0	1245	S149 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 1	473	url near response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 2	243	S151 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 16:22
S15 3	336	retransmit$4 with ((time adj out) timeout)	USPAT	OR	OFF	2005/02/09 11:46
S15 4	628	retransmit$4 with ((time adj out) timeout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:32
S15 5	149	S154 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:32
S15 6	35	retransmit$4 with ((time adj out) timeout) with response	USPAT	OR	OFF	2005/02/09 11:46
S15 7	88	retransmit$4 with ((time adj out) timeout) with response	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:48
S15 8	15	S157 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:47

S15 9	1	retransmit$4 with ((time adj out) timeout) with response with nack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:49
S16 0	13	retransmit$4 with ((time adj out) timeout) with nack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 11:49
S16 1	2	"20030069980".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 13:17
S16 3	2	("6088796" "6023722").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/15 13:52
S16 4	1	ep02078303	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/07/15 13:52
S16 5	152	(message adj (channel$2 queu$4 broker$1)) same pull$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:30
S16 6	15	S165.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:34
S16 7	1	"6292825".pn. and internet$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:37
S16 8	3	("6292825").URPN.	USPAT	OR	OFF	2005/07/15 16:02
S16 9	5	("5561637" | "5694546" | "5737619" | "5893091" | "6138158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 16:02

S17 0	5	("5561637" | "5694546" | "5737619" | "5893091" | "6138158").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 17:35
S17 1	1611	(stor$3 adj2 forward$3) same (channel$1 queue$1 mailbox$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:37
S17 2	243	(stor$3 adj2 forward$3) same (channel$1 queue$1 mailbox$2) same (request$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:46
S17 3	1	(stor$3 adj2 forward$3) same (channel$1 queue$1 mailbox$2) same (request$3) same pull$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:46
S17 4	74	(stor$3 adj2 forward$3) near10 (channel$1 queue$1 mailbox$2) same (request$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:49
S17 5	1	"20020010781".did. and queue$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:50
S17 6	1	"20020010781".did. and (queue$1 (stor$3 adj2 forward$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:01
S17 7	64	(message adj queu$4) near5 pull$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:02
S17 8	227503	"64" same (application$1 network$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:02

S179	40	S177 same (application$1 network$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:29
S180	7563	(destination recipient$1) near3 (channel$1 queue$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:29
S181	7	S177 same S180	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S182	5	("6704768" "6470357").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:01
S183	2	("6704768" "6470357").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:03
S184	944	(message adj rout$3) same (channel$1 queue$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:03
S185	42	S184.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:45
S186	1475	(identify$3 near3 (queue$1 channel$1)) same (message$1 email)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:46
S187	101	(identify$3 near3 (message adj (queue$1 channel$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/09 16:46

S18 8	4103	messag$3 same ((queu$3 channel$3) near3 identif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:00
S18 9	140	messag$3 same ((queu$3 channel$3) near3 identif$4) same source$1 same destination$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:03
S19 0	28	S189 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:02
S19 1	67	S189 same network$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:02
S19 2	39	messag$3 same ((queu$3) near3 identif$4) same source$1 same destination$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:05
S19 3	1	(messag$3 near broker$1) same ((queu$3) near3 identif$4) same source$1 same destination$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:05
S19 4	28	(messag$3 near broker$1) and ((queu$3 channel$1) near3 identif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:08
S19 5	1338	(messag$3 near queu$4) and ((queu$3 channel$1) near3 identif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09

S196	340	S195 and "709".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09
S197	363	(messag$3 near queu$4) same ((queu$3 channel$1) near3 identif$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 12:06
S198	26	S197.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 11:09
S199	397	(messag$3 near queu$4) same ((queu$3 channel$1) near3 (specify$3 identif$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 12:06
S200	43	S199 same network$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/11 12:06
S201	15	("4663706" | "4736369" | "4972437" | "5036518" | "5051892" | "5261089" | "5276861" | "5363505" | "5371886" | "5396613" | "5488703" | "5517622" | "5561797" | "5727154" | "5903724").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/11 13:02
S202	0	("6817018").URPN.	USPAT	OR	OFF	2005/08/11 13:03
S203	16	mqsi	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:57
S204	119	(messag$3) same (subscriber near10 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58

S205	93	(messag$3).ab. and (subscriber near10 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58
S206	70	(messag$3).ab. and (subscriber$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:58
S207	67	messag$3 same (subscriber$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 13:59
S208	19	messag$3 same (subscriber$1 near5 (timeout (time adj out))) same (queu$3 channel$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:00
S209	0	(messag$3 near (broker$1 queu$3)) same (subscriber$1 near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:01
S210	30	(messag$3 near (broker$1 queu$3)) same ((client$1 recipient$1 subscriber$1) near5 (timeout (time adj out)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:29
S211	6	(messag$3 near2 middleware) same ((explicit$2 identif$4) near3 queu$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:30
S212	10	(messag$3 near2 middleware) same pull$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:31
S213	0	(messag$3 near2 middleware) same (pull$3 near5 queu$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:32
S214	13	(messag$3 near2 middleware) and (pull$3 near5 queu$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 14:52

S21 5	93	(messag$3 near2 middleware) and (read$3 near5 queu$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 17:36
S21 6	1	"5771353".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/11 17:36